

RELATIVE HUMIDITY TABLE

Dry bulb	Difference between wet and dry bulb readings in Celsius degrees									
C	1	2	3	4	5	6	7	8	9	10
3	84	69	54	40	26	12				
4	85	70	56	42	29	16	3			
5	86	72	58	45	32	19	7			
6	86	73	60	47	35	23	11			
7	87	74	61	49	37	26	14	3		
8	87	75	63	51	39	28	18	7		
9	88	76	64	53	42	31	21	11	1	
10	88	77	66	55	44	34	24	15	6	
11	89	78	67	56	46	36	27	18	9	
12	89	78	68	58	48	39	29	21	12	
13	89	79	69	59	50	41	32	22	15	7
14	90	79	70	60	51	42	24	25	18	10
15	90	80	71	61	53	44	26	27	20	13
16	90	81	71	63	54	46	28	30	23	15
17	90	81	72	64	55	47	40	32	25	18
18	91	82	73	65	57	49	41	34	27	20
19	91	82	74	65	58	50	43	36	29	22
20	91	83	74	67	59	53	46	39	32	26
21	91	83	75	67	60	53	46	39	32	26
22	92	83	76	68	61	54	47	40	34	28
23	92	84	76	69	62	55	48	42	36	30
24	92	84	77	69	62	56	49	43	37	31
25	92	84	77	70	63	57	50	44	39	33
26	92	85	77	71	64	57	51	45	39	34